Hydrobiologia

The International Journal on Limnology and Marine Sciences

Volume 479, 1 July 2002

Changes in gastropod assemblages in freshwater habitats in the vicinity of Basel (Switzerland) over 87 years
Bruno Baur, Birgit Ringeis 1–10

Freshwater bryozoans (Bryozoa) of Norway III: distribution and ecology of *Plumatella fruticosa*
Karen Anna Økland, Jan Økland 11–22

Observations on the population dynamics of *Potamothrix hammoniensis* (Michaelsen, 1901) (Tubificidae, Oligochaeta) in Lake Isacova in the Danube Delta
Geta Rîsnoveanu, Angheluta Vadineanu 23–30

Distribution and abundance of zooplankton in the Waikato River, New Zealand
David F. Burger, Ian D. Hogg, John D. Green 31–38

Top-down control of natural phyto- and bacterioplankton prey communities by *Daphnia magna* and by the natural zooplankton community of the hypertrophic Lake Blankaart
Hanne Degans, Luc De Meester 39–49

Trace metal distribution in the sediments of the whole lake basin for Lochnagar, Scotland: a palaeolimnological assessment
Handong Yang, Neil L. Rose, Rick W. Battarbee, Don Monteith 51–61

A semi-analytical model for dissolved oxygen mass transfer coefficient at the sediment–water interface
Miki Hondzo, Nancy Steinberger 63–68

Genetic similarity within and among populations of the Variable and Azure damelflies (*Coenagrion pulchellum* and *C. puella*)
Joanna R. Freeland, Kelvin F. Conrad 69–73

Growth and physiological responses of *Kandelia candel* and *Bruguiera gymnorrhiza* to livestock wastewater
Y. Ye, Nora F. Y. Tam 75–81

Effects of snail grazing and nutrient release on growth of the macrophytes *Ceratophyllum demersum* and *Elodea canadensis* and the filamentous green alga *Cladophora* sp.
Agnieszka Pinowska 83–94

Ecology of four turbid clay pans during a filling-drying cycle in the Paroo, semi-arid Australia
Marty A. Hancock, Brian V. Timms 95–107

Fish bioenergetics model used for estimation of food consumption in a navigation canal with heavy traffic
T. Penczak, K. O'Hara, J. Kostrzewa 109–123

Anadromous alewives, *Alosa pseudoharengus*, as prey for white perch, *Morone americana*
J. R. Moring, L. H. Mink 125–130

Performance of *Sparganium emersum* Rehm. shoots in response to sediment quality
Markéta Ságová-Marečková, Jan Květ 131–141

Macroinvertebrate assemblages in perennial headwater streams of the Coastal Mountain range of Washington, U.S.A.
Stephanie M. Haggerty, Darold P. Batzer, C. Rhett Jackson 143–154

Fish community structure in the Missouri and lower Yellowstone rivers in relation to flow characteristics
Mark A. Pegg, Clay L. Pierce 155–167

Management of a pikeperch stock in a long-term biomanipulated stratified lake: efficient predation vs. low recruitment
Klaus Wysujack, Peter Kasprzak, Uwe Laude, Thomas Mehner 169–180

A laboratory system for examining the influence of light on diel activity of stream macroinvertebrates
Annette L. Schloss 181–190

Biological monitoring of rivers in Thailand: use and adaptation of the BMWP score
S.E. Mustow 191–229

Short communication
The use of sectioned otoliths to age barramundi (*Lates calcarifer*) (Bloch, 1790) [Centropomidae]
Ivor G. Stuart, Stephen C. McKillup 231–236

Author index 237

Electronic journals at
KluwerOnline
WWW.KLUWERONLINE.NL
Contact your librarian for more information